

P.O. Box 8522 Portland, Maine 04104 207-856-6620 207-856-6864 (fax)

Immunochemicals for Infectious Disease Research

www.ViroStat-Inc.com

MabyRab[™] product information for Cryptosporidium Oocysts

I. Monoclonal Antibody (Rabbit) Specificity

Product No.'s Ig class

IgG1 Specific to a cyst cell wall glyco-antigen*. Pairs in ELISA to detect cysts ^ also functions in IFA.

Specific to a cyst cell wall glyco-antigen*. Pairs in ELISA to detect cysts ^ also functions in IFA.

II. Purified Preparations

Product No.'s

7642

RabMAB® purified preparations consist of >90% pure rabbit monoclonal antibody which has been purified from culture medium by protein A chromatography or sequential differential precipitations. The final preparation is formulated to a protein concentration of 100 μ g/ml in 0.01 M phosphate buffered saline, pH 7.2 and contains 0.1% sodium azide. Each vial contains 1.0 ml. This product contains no stabilizing proteins and should be stored at 2-8°C until ready for use.

Working dilution must be determined by the user. Suggested starting ranges are 1:10-1:50 for IFA and 1:20-1:200 for ELISA.

THESE PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

III. Fluorescein Conjugates

Product No.'s

These MONOTOPE™ products consist of purified monoclonal antibody conjugated with high purity isomer I of fluorescein isothiocyanate. Care is taken to ensure complete removal of any free fluorescein from the final product. The final preparation is formulated to an antibody concentration of of 100 µg/ml in 0.01 M phosphate buffered saline, pH 7.2 containing 0.1% sodium azide plus bovine serum albumin at 10 mg/ml. Each vial contains 1.0 ml. This product should be stored at 2-8°C until ready for use. Avoid repeated freeze-thawing by storing multiple aliquots at -20°C. Applications for these products include direct FA staining of target antigen in a permissive tissue culture system. Working strength must be determined by the user for each specific application but a starting range of 1:5 - 1:20 is recommended. Acetone fixation of the antigen source is recommended prior to staining.

THESE PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

Comments: ^ Best ELISA pairs (capture-conjugate): 7641-7642, 7642-7642, 7642-7641

* Periodate sensitive

The antibodies are non-reactive with: Giardia lamblia, Candida albicans & human cells